

CATTLEMASTER

[Home](#)
[Products](#)
[Company Info](#)
[Cattle Chutes and Handling Systems](#) |
 [Head Gates](#) |
 [Specialty Chutes](#) |
 [Stock Feeders](#) |
 [Chute Components](#)


D90B Cattle Chute

- 90" x 32" inside dimensions
- Both side panels open
- Access door to neck area
- Width adjustable
- Weight: 960 lbs.

All cattlemaster chutes can be ordered with scale and undercarriage.



PAX Heavy-Duty Parallel Axis Chute with Scale and Undercarriage

- 8' Long x 32" wide inside x 85" overall height
- Parallel axis action squeezes sides
- Full sides open
- Fold down branding window
- Hinged access doors front and back
- Vertical sliding rear door
- Weight: 1860 lbs.
-



PAX Heavy-Duty Parallel Axis Squeeze Chute

- 8' Long x 32" wide inside x 85" overall height
- Parallel axis action squeezes sides
- Full sides open
- Fold down branding window
- Hinged access doors front and back
- Vertical sliding rear door
- Weight: 1860 lbs.



D90A Cattle Chute

- 85" x 30" Inside dimensions
- Moveable sides adjust from 24" to 30"
- Both side panels open
- Forward rolling rump bar
- Heavy duty construction
- Weight: 840 lbs.



D90SP Cattle Chute

- Width adjustable
- Full side openings or top and bottom individually
- Forward rolling rump bar
- Vertical sliding rear door
- 33" x 87" inside dimensions



LC9 Loading Chute

- 32" Wide inside
- 10' Long
- 9' 4" High
- Ramp setting from 12" x 42"
- 2" Wood floor
- Heavy duty steel frame
- Point hitch portable
- Weight: 1100 lbs.



CCWH Calf Chute

- Self-locking walk-through headgate
- 22" W x 60" L
- Steel, slatted floor
- Hinged rear door
- Handles calves up to 350 lbs.



CMVC Veal Chute

- 29" W x 84" L
- Handles calves up to 900 lbs.
- 2" Wood Floor



Cattle Handling System

- Height 6'
- 10' Radius
- Automatic latch
- 23 locking points
- Revolving door
- Completely reversable
- Slide gate at tub outlet
- Constructed of heavy wall 1.5" tube
- Totally collapsable
- Durable powder coated finish
- Weighs approximately 1600 lbs.

CATTLEMASTER

[Home](#)
[Products](#)
[Company Info](#)
[Cattle Chutes and Handling Systems](#) |
 [Head Gates](#) |
 [Specialty Chutes](#) |
 [Stock Feeders](#) |
 [Chute Components](#)


D90 Headgate

- Heavy duty self-locking headgate
- Quick adjust neck space
- New easy release mechanism
- New cushioned headgate - reduces shoulder bruising
- Automatic reset
- Walk-through exit
- Shipping weight: 255 lbs.

* Standard on all CattleMaster Chutes



D90P Headgate

- Heavy Duty Locking Headgate
- Quick adjust neck space
- Easy release mechanism
- Shock absorbers – reduce shoulder bruising
- walk-thru exit
- Powder coated grey
- Ship weight: 255 lbs.



D90 Headgate with Neck Extender

- Safer and easier neck injections, implanting and tagging with Neck-Extender

CATTLEMASTER

[Home](#)
[Products](#)
[Company Info](#)
[Cattle Chutes and Handling Systems](#) | [Head Gates](#) | [Specialty Chutes](#) | [Stock Feeders](#) | [Chute Components](#)


CMWC Weigh Chute

- 5000 lb. electronic scale
- Sturdy Cage
- Vertical Slide Door Entrance
- Hinged swing door exit
- Available with cross slide doors and / or undercarriage

THE SIMPLE SOLUTION TO ANIMAL WEIGHING

The Instaweigh digital Animal Scales are heavy duty electronic load cell weigh scales, available in 3 capacities and cover a variety of weighing applications. They easily mount under any cattle squeeze, hog crate, feed hopper or custom platform.

ALL WEATHER USE

The all-steel construction of the scale has been proven over 20 years of field use. Load cells are rubber epoxy coated for permanent outdoor installation. There are no moving parts to wear out and no costly maintenance. All of the Instaweigh Scales will give you years of trouble free service.

EASY READ INDICATOR

The model 83-10 Digital Indicator features a large readout that's easy to read even in direct sunlight. The weight is displayed in lbs. or kgs. at the push of a button. It operates on 110v AC power or 6 "C" type alkaline batteries. A computer hookup is standard allowing you to add the Herd Management System at any time.

QUICK, ACCURATE WEIGHTS

Load Bars provide a solid scale base by eliminating platform movement that could frighten livestock. This, in combination with Instaweigh's lock-on feature, guarantees an exact weight regardless of how lively the animal.

FACTORY CALIBRATION

Calibrating and balancing at the factory eliminates installation errors and the need for an installation technician. Install the scale, press the Zero button you're ready to weigh. This also allows for you to compensate for manure, mud and snow build-up.



CMHT Hoof Trimming Chute

- 42" W x 96" L
- Manual headgate
- 2" wood floor
- Weight 520 lbs.



CMG Grooming Chute

- 36" W x 88" Long
- Plywood Floor
- Folds down to move
- Weight 275 lbs. with floor
- built with 1.9 O.D. round material

CATTLEMASTER

[Home](#)
[Products](#)
[Company Info](#)
[Cattle Chutes and Handling Systems](#) | [Head Gates](#) | [Specialty Chutes](#) | [Stock Feeders](#) | [Chute Components](#)


TSF Tombstone Feeder

- 48" High
- 22" Skirt
- 1" Rounded tombstones
- 15 Feeding Stations
- 3 Section Round
- 7' Diameter



RHF Feeder

- 1" x1" Square tubing construction
- 7' 6" diameter
- 16" skirt
- 15 Feeding spaces
- Powder coat finish
- Weight: 180 lbs.



MWR Feeder

- Rugged Cow & Bull Feeder
- 1-5/8" Round tube construction
- 8' 4" Diameter
- 22" Skirt
- Cattle can better reach centre with less pushing on feeder
- Long hinge pins
- 18 feeding spaces



HRHF 48 & 54 Feeder

- 1 1/4" x1 1/4" Square tubing construction
- 8' 4" diameter
- 22" skirt
- 15 Feeding spaces
- Powder coat finish
- Long hinge pins
- HRHF 54 - 54" high
- HRHF 48 - 48" high
- Weight: 315 lbs.



TH54 Horse Feeder

- 8ft diameter
- 54" high
- 30" skirt



HG8 Hay & Grain Feeder

- 2" Round Rails
- 1-5/8" Round stanchions
- Pan designed for feed flow to 4 sides of feeder
- 7' x 8' or 7' x 13'



H13 Multi-Bale Feeder

- 2" Round Rails
- 1-5/8" Round stanchions
- 7' x 8' or 7' x 13'
- Cattle can reach further into feeder with less abuse to feeder and animal shoulders



CSF Mineral Feeder

- Salt and Mineral Feeder
- Galvanized roof and vane
- Rubber Tub
- Face fly attachment separate item

CATTLEMASTER

[Home](#)[Products](#)[Company Info](#)[Cattle Chutes and Handling Systems](#) | [Head Gates](#) | [Specialty Chutes](#) | [Stock Feeders](#) | [Chute Components](#)

EXC Extension Cage

- Entrance door to both sides
- Entrance doors swing in and lock across alley
- Spring loaded latches
- 2" x 2" Square tube frame
- Weight: 170 lbs.



CMRD Rolling Door

- Alley Frame with Rolling Door
- Fits Cattle Master Chutes



CMSG Alley Frame

- Alley frame with Guilletine door



CPF Checker Plate Floor

- Diamond Checker Plate Flooring
- Weight (with slats): 179 lbs.